

Bifenthrin 0.069% Insecticide Plus Turf Food

This is a Double Action product with Lawn Food and Bifenthrin Insecticide. Feeds the Lawn and controls listed lawn insects including: Ants (including Imported Fire Ants), Mole Crickets, Sod Webworms, Chinch Bugs and other Pests as listed. For Lawns in Landscape areas around Residential, Commercial, Institutional, Public, and Industrial Buildings, Parks, Recreational Lawns, and Athletic fields.

ACTIVE INGREDIENT:

Bifenthrin *CAS [83322-82657]	0.069%
OTHER INGREDIENTS:	<u>99.931%</u>
TOTAL	100.000%

^{*} Cis isomers 97% minimum; trans. isomers 3% maximum

EPA Reg. No. 53883-160-32802 EPA Est. No. 59144-GA-1 (A), 32802-MO-1(B), 37351-CO-1 (C) First letter of bag code shows establishment where manufactured.

Manufactured for: Howard Johnson's Enterprises, Inc.

9675 8 60th Street, Franklin, WI 53132

GUARANTEED ANALYSIS 00-0-7

Soluble Potash (K₂O)

Derived From: Muriate of Potash

Chlorine (CI), not more than 6.00%

F315

Bulk Density Item Number FGB50422 100206209

Net Weight 50Lbs (22.68 kg)

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

If in eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at (866)-897-8050 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco or using toilet.

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. Do not apply when weather conditions favor drift and runoff from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. do not water to the point of run-off.

Do not make applications during the rain.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

Do not allow children or pets to enter the area until dry.

Do not apply more than 580 lbs. per acre (13.3 lbs per 1,000 square feet), of this product per year. Not for use on turf being grown for sale or other commercial use as sod, or for commercial greenhouses, nurseries, commercial seed production or research purposes.

This product should be applied when insects first appear. Application of this product should be applied evenly with a properly calibrated drop or rotary spreader over the entire turfgrass area at a rate of 3.33 to 6.66 pounds per 1,000 square feet. A uniform application is most desirable and is best achieved by spreading half of the required amount of products over the area and then applying the remaining half with swaths at a right angle to the first. A thorough irrigation of the treated area, immediately after application will provide best results.

Restrictions concerning use near water.

Do not apply this product within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes, or natural ponds, natural estuaries, and commercial fish ponds.

LAWN AND PERIMETER APPLICATIONS

This product is intended to prevent and reduce insect entry to homes and businesses. When using this product as directed, apply a 6 to 10 feet wide band to the lawn areas around and adjacent to the structure. Observe and apply the following

In New York State this product may not be applied to any grass or turfgrass within 100 ft. of a water body (lake, pond, river, stream, wetland, drainage ditch). In New York State do make a single application if there are signs of renewed insect activity, but not sooner than 2 weeks after the first application.

LAWN APPLICATION

Apply 3.33 lbs per 1000 sq. ft.

Annual Bluegrass weevils (Hyperodes Adults) Armyworms, Billbugs, (Adult), Black Turfgrass Ataenuis (Adult), Cutworms, Mealybugs, Sod Webworms

Apply 6.66 lbs per 1000 sq. ft. **Ants, **Centipedes, *Fire Ants, **Fleas, Leafhoppers, **Millipedes, **Mole Crickets, **Chinch Bugs, Ticks and Chiggers

This product will provide optimum control of Imported Fire Ant if combined with a mound treatment. A broadcast application of the area to be treated will control foraging worker ants and newly mated queens. In addition a mound treatment at the same time will aid in the destruction of the existing

For controlling mounds use a registered pesticide labeled for treatment of fire ant mounds.

**The highest rate noted on the application table may be required to control Imported Fire Ants, as well as Chiqqers, Centipedes, Chinch Bugs, Fleas, Millipedes and other foraging ants.

SPREADER SETTING SUGGESTIONS

SPREADER SETTING SUGGESTIONS
Varied conditions will affect the application rate of the spreader; therefore, the settings listed are approximate. Age and conditions of spreader and walking speed can cause variation in application rate. Calibrate your spreader with each application. Close spreader hopper and adjust the setting using the suggested settings chart to the right. Fill spreader on a hard surface to eliminate the chance of spillage on the lawn. Close spreader hopper when stopping or turning.
Supplemental applications of lawn fertilizer

Supplemental applications of lawn fertilizer may be needed to achieve 1 pound nitrogen per 1,000 sq. ft.

	Spreaders		
(lbs per 1000 sq. ft)	Cone setting	3.33 lbs	6.66 lbs
Accu-Pro 2000	6	L 1/2	Р
SR2000	6	L 1/2	Q 1/2
Lesco 021820	0.25 closed	D 1/2	Н
Spyker 76-22		4.3	5.1
PSB Bigfoot	A.5	J 1/2	M 1/2
Lely HR	II-B	5.25	7
Vicon 203		15	23
Cub Cadet		11	18

Information regarding the contents and levels of metals in this product is available on the internet at: http://www.aapfco.org/metals.htm.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Never pour unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Do not rinse unless required for recycling. If recycling is not available: then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

If partly filled: Call your local solid waste agency for disposal instructions. Never pour unused product down any indoor or outdoor drain.

NOTICE: Buver and user assume all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

53883-160 CSI 7-23-12(hje 9-22-14a)