



Howard Johnson's Enterprises

Section 1: Identification

Product identifier

 HJE All Season Weed & Feed with Lazer, HJE Weed & Feed with **Product Name**

Lazer

 EPA Reg. No.: 228-432-32802; FertCDCaRspSS Synonyms

Product Code FertCDCaRspSS

Product Description · Variable colored granules.

Relevant identified uses of the substance or mixture and uses advised against

Recommended use · Fertilizer plus herbicide for lawns.

Restrictions on use

Keep out of reach of children and domestic animals. Avoid breathing dust. Avoid

contact with eyes, skin and clothing.

Details of the supplier of the safety data sheet

Manufacturer · Howard Johnson's Enterprises, Inc.

> 9675 S. 60th Street Franklin, WI 53132 **United States** www.hjefertilizer.com

Telephone (General) • (414) 394-3590 - 8:30am - 5:00pm CST

Emergency telephone number

Manufacturer 1-800-424-9300 - CHEMTREC - Transportation and Non-Transportation related

emergencies

Manufacturer 1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012 · Carcinogenicity 1A Skin Sensitization 1 Respiratory Sensitization 1A Combustible Dust

Label elements **OSHA HCS 2012**

DANGER





Hazard statements •

May cause cancer.

May cause an allergic skin reaction

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May form combustible dust concentrations in air.

Precautionary statements

Prevention •

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace.

Avoid breathing vapors, dust, mist or spray.

In case of inadequate ventilation wear respiratory protection.

Response • IF exposed or concerned: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention. Specific treatment, see supplemental first aid information.

Wash contaminated clothing before reuse.

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison control center or

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Storage/Disposal •

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Store locked up.

Other hazards **OSHA HCS 2012**

This pesticide is toxic to fish and to aquatic organisms and may adversely affect nontarget plants. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Section 3 - Composition/Information on Ingredients

Substances

Material does not meet the criteria of a substance according to United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Mixtures

Composition				
Chemical Name	Identifiers	%		
Dicamba (3,6-dichloro-o-benzoic acid)	CAS:1918-00-9	0.028%		
Silica, crystalline - quartz	CAS:14808-60-7	> 0.1%		
Dimethylamine salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid	CAS:66423-09-4	0.163%		
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	CAS:2008-39-1	0.664%		
Peanut hulls	NDA	5% TO 10%		
Limestone	CAS:1317-65-3	25% TO 45%		
Other ingredients	NDA	Balance		

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms occur.

Skin

IF ON SKIN: Wash skin with soap and water. If irritation or rash occurs, get medical advice/attention. Take off contaminated clothing and wash before reuse.

Eye

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

IF SWALLOWED: Call a POISON CONTROL center or doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting unless directed by medical personnel.

Most important symptoms and effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled due to peanut hulls, may cause an allergic skin reaction in individuals with a sensitivity to 2,4 -dichlorophenoxy acetic acid, may cause cancer. Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

· Treat symptomatically and supportively.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media • SMALL FIRES: Dry chemical, CO2, water spray or regular foam.

LARGE FIRE: Water spray, fog or regular foam.

Unsuitable Extinguishing Media

Avoid heavy hose streams.

Firefighting Procedures

 As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions.

LARGE FIRES: Dike fire control water for later disposal; do not scatter the material.

Move containers from fire area if you can do it without risk.

Stay upwind.

Combustible dust - use low-pressure medium fog streams to avoid dust clouds.

Preparation Date: 14/November/2016 Revision Date: 14/November/2016

Eliminate ignition sources.

Do not breathe gas/fumes/vapor/spray. Do not walk through spilled material.

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Hazardous Combustion Products

Irritating or toxic substances may be emitted upon burning, combustion or decomposition.

Advice for firefighters

Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Avoid contact with skin, eyes, and clothing. Wear appropriate personal protective equipment, avoid direct contact. Ventilate enclosed areas. Avoid dust formation and breathing dust.

Emergency Procedures

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Contain spill and monitor for excessive dust accumulation. Keep unauthorized personnel away. Ventilate closed spaces before entering.

Environmental precautions

· Avoid run off to waterways and sewers.

Methods and material for containment and cleaning up

Containment/Clean-up Measures

Sweep or scoop up spills, dispose of any unusable material in approved landfill. Use appropriate Personal Protective Equipment (PPE).

Use clean non-sparking tools to collect material and place it into loosely covered plastic containers for later disposal.

Avoid generating dust.

Dust Deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

Section 7 - Handling and Storage

Precautions for safe handling

Handling

Avoid contact with skin, eyes, and clothing. Avoid breathing dust. To minimize dust generation and accumulation, spills should be cleaned up and dust accumulations should be removed promptly. Wash thoroughly with soap and water after handling. Take precautionary measures against static charges. No open flames, no sparks and no smoking.

Conditions for safe storage, including any incompatibilities

Storage

Store in a cool/low-temperature, well-ventilated, dry place. Keep out of reach of

Preparation Date: 14/November/2016 Format: GHS Language: English (US) Revision Date: 14/November/2016 Page 4 of 11

children. Keep container tightly closed. Avoid humid, wet or moist conditions. Keep away from incompatible materials such asreducing agents. Do not blend or store in contact with ammonium nitrate. Ventilate enclosed areas. Store locked up.

Incompatible Materials or Ignition Sources

May be corrosive to mild steel. Slightly corrosive to aluminum, zinc, or copper. Noncorrosive to glass, 304 or 316 stainless steel. May be reactive with halogens and slightly reactive with oxidizing agents, reducing agents, acids, alkalis, moisture.

Section 8 - Exposure Controls/Personal Protection

Control parameters

Exposure Limits/Guidelines

It is recommended that dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment.

Exposure Limits/Guidelines					
Result ACGIH NIOSH			NIOSH	OSHA	
Silica, crystalline - quartz (14808-60-7)	TWAs	0.025 mg/m3 TWA (respirable fraction)	0.05 mg/m3 TWA (respirable dust)	0.05 mg/m3 TWA (respirable dust)	
Limestone (1317-65-3)	TWAs	Not established	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	

Exposure Limits Supplemental OSHA

- •Silica, crystalline quartz (14808-60-7): Mineral Dusts: ((30)/(%SiO2 + 2) mg/m3 TWA, total dust; (250)/(%SiO2 + 5) mppcf TWA **ACGIH**
- Silica, crystalline quartz (14808-60-7): TLV Basis Critical Effects: (lung cancer; pulmonary fibrosis)

Exposure controls

Engineering Measures/Controls

Local exhaust ventilation. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment). Use only appropriately classified electrical equipment.

Personal Protective Equipment

Pictograms







Respiratory

If airborne dust is present or in case of inadequate ventilation, use appropriate respiratory protection. Use of half/full face air purifying or N95 dust mask is recommended.

Eye/Face Hands

Wear safety glasses.

Wear appropriate gloves.

Skin/Body

If prolonged exposure is anticipated, it is recommended for handlers to wear appropriate clothing to prevent skin contact. Use full body suit such as Tyvek or

Tychem suit is recommended.

General Industrial Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Environmental Exposure Controls

· Avoid release to the environment.

Other Information

· See product label for specific use PPE instructions.

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Solid	Appearance/Description	Variable colored granules.
Color	Varies	Odor	Varies
Odor Threshold	No data available		
General Properties			
Boiling Point	No data available	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	рН	Not relevant
Specific Gravity/Relative Density	No data available	Bulk Density	45 to 80 lb(s)/ft ³
Water Solubility	No data available	Viscosity	Not relevant
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available		
Flammability			
Flash Point	Not relevant	UEL	No data available
LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	No data available		
Environmental			
Octanol/Water Partition coefficient	No data available		

Section 10: Stability and Reactivity

Reactivity

This material is friable and can create small dust particles during any handling, processing, and transfer operations. This material can form explosive dust/air suspensions that are ignitable under some conditions.

Chemical stability

Stable

Possibility of hazardous reactions

Hazardous polymerization will not occur. May form combustible dust concentrations in the air.

Conditions to avoid

Extreme heat, high humidity or moisture. Avoid contact with moisture. If Urea is

Preparation Date: 14/November/2016 Revision Date: 14/November/2016 present, slow hydrolysis may produce acids corrosive to metals.

Incompatible materials

Material may be incompatible with halogens, oxidizing agents, reducing agents, acids, alkalis, moisture, potassium chlorate, potassium nitrate, sodium nitrate, sodium hypochlorite, metal chlorates, strong bases. If Urea is present may be corrosive to mild steel and slightly corrosive to aluminum, zinc, or copper.

Hazardous decomposition products

May release ammonia, oxides of: sulfur, nitrogen, phosphorus, and carbon. Flammable/toxic vapors will form at elevated temperatures by thermal decomposition.

Section 11 - Toxicological Information

Information on toxicological effects

Components				
Dicamba (3,6-dichloro-o-benzoic acid) (0.028%)	1918-00- 9	Acute Toxicity: Ingestion/Oral-Rat LD50 • 1039 mg/kg; Skin-Rat LD50 • >1000 mg/kg		
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid (0.664%)	2008-39- 1	Acute Toxicity: Ingestion/Oral-Rat LD50 • 949 mg/kg; Inhalation-Rat LC50 • >3.5 mg/L 4 Hour(s); Skin-Rabbit LD50 • 1829 mg/kg; Irritation: Eye-Rabbit • Severe irritation, irreversible, burns (corrosive); Skin-Rabbit • Mild irritation		
Dimethylamine salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid (0.163%)	66423- 09-4	Acute Toxicity: Ingestion/Oral-Rat LD50 • 775 mg/kg; Inhalation-Rat LC50 • >0.87 mg/L 4 Hour(s); Skin-Rabbit LD50 • >2000 mg/kg; Irritation: Eye-Rabbit • Severe irritation, irreversible, burns (corrosive); Skin-Rabbit • Mild irritation		

GHS Properties	Classification	
Acute toxicity	OSHA HCS 2012 • Acute Toxicity - Dermal - Classification criteria not met; Acute Toxicity - Inhalation - Classification criteria not met; Acute Toxicity - Oral - Classification criteria not met	
Skin corrosion/Irritation	OSHA HCS 2012 • Classification criteria not met	
Serious eye damage/Irritation	OSHA HCS 2012 • Classification criteria not met	
Skin sensitization	OSHA HCS 2012 • Skin Sensitizer 1	
Respiratory sensitization	OSHA HCS 2012 • Respiratory Sensitizer 1A	
Aspiration Hazard	OSHA HCS 2012 • Classification criteria not met	
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A	
Germ Cell Mutagenicity	OSHA HCS 2012 • Not classified - data lacking	
Toxicity for Reproduction	OSHA HCS 2012 • Classification criteria not met	
STOT-SE	OSHA HCS 2012 • Classification criteria not met	
STOT-RE	OSHA HCS 2012 • Classification criteria not met	

Potential Health Effects Inhalation

Acute (Immediate)

Acute Silicosis can occur with exposures to very high concentrations of respirable crystalline silica over a very short time period, sometimes as short as a few months. The symptoms of acute silicosis include progressive shortness of breath, fever, cough and weight loss. May cause allergy or asthma symptoms or breathing difficulties if inhaled due to peanut hulls.

Chronic (Delayed)

Repeated or prolonged inhalation of dust may cause respiratory irritation. Repeated and prolonged exposure to crystalline silica containing materials may cause irritation and/or lung damage silicosis, fibrosis, inflammation, cancer.

Skin

Acute (Immediate)

May cause an allergic skin reaction in those with a sensitivity to 2,4-dichlorophenoxy acetic acid. Exposure to dust may cause mechanical irritation.

Chronic (Delayed)

· No data available.

Eye

Acute (Immediate)

Exposure to dust may cause mechanical irritation.

Chronic (Delayed)

· No data available

Ingestion

Acute (Immediate)

Under normal conditions of use, no health effects are expected.

Chronic (Delayed)

· No data available

Other

Chronic (Delayed)

No data available.

Mutagenic Effects

Not classified.

Carcinogenic Effects

Crystalline silica (quartz) inhaled from occupational sources is classified as carcinogenic to humans.

Carcinogenic Effects				
CAS IARC NTP				
Silica, crystalline - quartz	14808-60-7	Group 1-Carcinogenic	Known Human Carcinogen	

Reproductive Effects

· Not classified.

Section 12 - Ecological Information

Toxicity

· No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in Soil

· No data available

Other adverse effects

Potential Environmental Effects

 This pesticide is toxic to fish and to aquatic organisms and may adversely affect nontarget plants.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable
IMO/IMDG	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable
IATA/ICAO	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable

Special precautions for user • None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

· No data available

Other information

DOT • Environmental hazards: RQ (Dicamba 1000 lbs.)

IMO/IMDG · No data available IATA/ICAO · No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute, Chronic, SARA Title III Section 313

FIFRA – Pesticide Labeling

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of nonpesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

CAUTION

Precautionary Statements • KEEP OUT OF REACH OF CHILDREN.

Hazards to Humans and . **Domestic Animals**

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing.

First Aid •

IF SWALLOWED: Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately

Preparation Date: 14/November/2016 Revision Date: 14/November/2016

with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES • Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for further treatment advice.

Environmental Hazards •

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

	Inventory			
Component	CAS	TSCA		
Dicamba (3,6-dichloro- o-benzoic acid)	1918-00-9	No		
Dimethylamine salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid	66423-09-4	No		
Dimethylamine salt of 2,4- dichlorophenoxyacetic acid	2008-39-1	No		
Limestone	1317-65-3	Yes		
Silica, crystalline - quartz	14808-60-7	Yes		

United States

Environment U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities		
• Limestone	1317-65-3	Not Listed
Silica, crystalline - quartz	14808-60-7	Not Listed
Dicamba (3,6-dichloro-o-benzoic acid)	1918-00-9	1000 lb final RQ; 454 kg final RQ
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	2008-39-1	Not Listed
Dimethylamine salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid	66423-09-4	Not Listed
U.S CERCLA/SARA - Section 313 - Emission Reporting		
Limestone	1317-65-3	Not Listed
Silica, crystalline - quartz	14808-60-7	Not Listed
Dicamba (3,6-dichloro-o-benzoic acid)	1918-00-9	1.0 % de minimis concentration
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	2008-39-1	Not Listed
Dimethylamine salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid	66423-09-4	Not Listed

Section 16 - Other Information

Revision Date

Last Revision Date

Preparation Date

Disclaimer/Statement of

- 14/November/2016
- 14/November/2016
- 14/November/2016
- Disclaimer/Statement of Liability
- The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.